



PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b) PCT/GB 2003 / 0 0 1 U 1



The Patent Office Concept House Cardiff Road Newport South Wales NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

egistration under the Companies Act does not constitute a new legal entity but merely ets the company to certain additional company law rules.

REC'D 1 4 APR 2003

WIPO PCT


Signed

Dated 24 March 2003

BEST AVAILABLE COPY


An Executive Agency of the Department of Trade and Industry





Request for grant of a pa (See the notes on the back of this form. You can explanatory leaded from the Patent Office to h this form)	n akto get an nelp you fill in	HE PATENT OFF	TCE	The Patent Office Cardiff Road Newport Gwent NP9 1RH
1. Your reference		RH/ALO/P/20	AX ATI GB	
0205667.9		12 MAR 2002		
3. Full name, address and postcode each applicant (underline all surnam		Jarrold Way,	national Limited,	
Patents ADP number (if you know it If the applicant is a corporate bo- country/state of its incorporation		Bowthorpe, Norwich, Norfolk, NRS	59D. 66045	5 700 S
4. Title of the invention		Improvements assessment of	in or relating to appa the condition of fruit	ratus for the
5. Name of your agent (if you have on "Address for service" in the United to which all correspondence sho (including the postcode)	d Kingdom	Wilson Gunn I 41-51 Royal I Cross Street, Manchester. M2 7BD.		
Patents ADP number (# you know t	(t)	7153927001	V/	
6. If you are declaring priority from earlier patent applications, give the and the date of filing of the or of earlier applications and Gf you knot each application number	he country each of these	Concery	Priority application number (if you know it)	: Date of filing (day / month / year)
 If this application is divided or of derived from an earlier UK applica- give the number and the filing da- the earlier application 	ation,	Number of earlier applica : :	adon	Date of filing, (day / month / year)
 Is a statement of inventorship and to grant of a patent required in su this request? (Inswer Yes th a) any applicant named in part 3 is not b) there is an inventor who is not nam applicant, or any named applicant is a corporate See note (d) 	ipport of stan (number, or ed as an body:	YES		

Patents Form 1/77



9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

Claim(s)

Abstract

Drawing(3)

02

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Palents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

> Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

12/03/02

12. Name and daytime telephone number of person to contact in the United Kingdom Richard Hill 0161 827 9400

After an application for a patent bas been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be probibited or restricted under Section 22 of the Patents Act. 1977. You will be informed if it is necessary to probibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting uritten permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction probibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need belp to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

10

15

20

- 1 -

IMPROVEMENTS IN OR RELATING TO APPARATUS FOR THE ASSESSMENT OF THE CONDITION OF FRUIT AND VEGETABLES

This invention relates to improvements in or relating to apparatus for the assessment of the condition of fruit and vegetables.

In our co-pending published PCT Application No. WO 98/52037 there is disclosed an assembly for measuring the condition of fruit and vegetables in which an expandable resilient bellows arrangement having a passive sensor mounted therein can be expanded so as to bring the sensor into contact with, or adjacent to, an item of fruit or vegetables whereby the sensor can react to a property of the fruit or vegetable and produce a signal related to that property. The bellows assembly can then be contracted away from the fruit or vegetable.

A problem with this arrangement is that for consistent measurement, it is necessary to ensure that the sensor moves towards the item of fruit or vegetable substantially perpendicularly. If the sensor moves at an angle to the fruit or vegetable then inaccurate results can be obtained.

It is an object of the present invention to provide an arrangement of the type disclosed in our earlier application in which it is possible to obtain a more consistent measurement over a relatively larger angular range of impact between the sensor and the surface of the fruit or vegetable being tested.

10

15

20

Thus and in accordance with the present invention therefore there is provided apparatus for measuring the condition of fruit and vegetables comprising plunger means formed by a resilient bellows assembly which is capable of expansion under the action of pressurised air and retraction by the application of a vacuum, said plunger means carrying a passive sensor which on expansion is brought into contact with an item of fruit or vegetable whereby the sensor reacts to a property of said fruit or vegetable to produce an output signal related to that property characterised in that at least a part of said sensor which contacts said item of fruit or vegetable is of curved shape.

With this arrangement, the curved shape of the sensor ensures a consistent accurate output signal related to the condition of the fruit or vegetable over a relatively wide range of angles of impact of the sensor to the surface of the fruit or vegetable.

The invention will now be described further by way of example only and with reference to the accompanying drawing, the single Figure of which shows one embodiment, not to scale, of an assembly in accordance with the present invention.

The assembly 10 is shown in the Figure, mounted within a bellows assembly 11 of the type described in US Patent No. 4,217,164 and is moveable with the bellows assembly towards and away from the fruit or vegetable 12 to be assessed.

10

15

20

- 3 -

The assembly 10 comprises a housing consisting of two interconnected parts 13, 14. Mounted within the housing is a moveable carriage 16 to which is fixed a lug 17. The carriage 16 is moveable within the housing against the bias of a biasing member 18, preferably in the form of a spring. The lug 17 has an internal bore 19 through which extends an electrical connection 21 into connection with a piezo electric sensor 22 of generally curved, preferably hemispherical, form mounted at one end of the lug 17. The lug 17 is connected to a damping member 23 which extends through aligned apertures 24, 26 in the carriage 16 and housing part 13 respectively. Conveniently, the electrical connection 21 will extend along side or within the damping member 23.

In use, as the bellows assembly 10 expands as pressurised air is introduced as mentioned in the aforementioned US Patent, the piezo electric sensor 22 is moved towards the surface of a fruit or vegetable 12 to be tested. As the bellows 10 moves towards the fruit or vegetable, the lug 17 moves against the bias of the biasing means 18. As the bellows 10 reaches full expansion, the momentum of the lug 17 causes the lug 17 to continue to move against the bias of the biasing means 18 bringing the piezo electric sensor 22 into contact with a surface of the fruit or vegetable 12 being tested. It will be appreciated that by positioning the assembly of the invention an appropriate distance from the fruit or vegetables to be tested it is possible for the movement of the sensor 22 after the bellows assembly 10 has reached full expansion to

10

15

20

- 4 -

provide a tapping type of motion onto the surface of the fruit or vegetable 12 being tested. It will be appreciated that such tapping motion will not affect the condition of the fruit or vegetable being tested.

Because the piezo electric sensor 22 has a curved surface, it is not necessary for the sensor 22 to contact with the surface of the fruit or vegetable being tested precisely perpendicularly to achieve accurate results using the assembly of the invention. The curvature of the sensor 22 means that good measurements can be achieved over a range of angles of contact determined by the angle of curvature surface of the sensor 22. This means that it is not necessary for either the fruit being tested or the sensor assembly to be precisely accurately aligned for the system to produce accurate results.


The piezo electric sensor 22 generates a signal which is indicative of the condition of the fruit or vegetable. The signal from the piezo electric sensor 22 is passed via the electrical connection 21 to suitable processing circuitry and possibly a display (not shown).


The bellows are then retracted by introduction of a vacuum into the bellows assembly 10 thereby moving the sensor 22 away from the fruit or vegetable. During this movement, once again movement of the lug 17 within the housing is biased by the biasing means 18.


It will be appreciated that the assembly of the invention makes it rnore simple to obtain consistent results without the need for absolute precision in setting up the assembly. It will be appreciated that it is

important that accurate testing can be undertaken to prevent fruit or vegetables being incorrectly identified as to their condition.

It is of course to be understood that the invention is not intended to be restricted to the details of the above embodiments which are described by way of example only







0031122 00 164 02 09:49

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
n omerna

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.